

| | |
|--------------------------|---|
| Ecosystem Service | Cultivated terrestrial plants for energy |
| CICES class name | Cultivated plants (including fungi, algae) grown as a source of energy' |
| CICES Section | Provisioning (Biotic) |
| CICES Class code | 1.1.1.3 |

Sample Indicators

| Indicator values from | | | |
|----------------------------------|--|-----------------------------|--|
| Experiment or direct measurement | | Survey | |
| Expert assessment | | Statistical- or census data | |
| Model or GIS | | Literature values | |
| Stakeholder participation | | Not provided | |

Table 1: Field Scale

| Indicator | Unit | Indicator values from |
|----------------------------------|--|-----------------------|
| [3] Yield | kg * ha ⁻¹ * yr ⁻¹ | |
| [1] Biotic production | kg * m ⁻² * yr ⁻¹ | |
| [1] Net primary production (NPP) | kg dry matter * m ⁻² * yr ⁻¹ | |
| [2] Fuelwood production | volume * ha ⁻¹ | |

Table 2: Regional Scale

| Indicator | Unit | Indicator values from |
|--|--|-----------------------|
| [6] Yield | kg * ha ⁻¹ * yr ⁻¹ | |
| [10] Biomass yield | t dry matter * ha ⁻¹ * yr ⁻¹ | |
| [18] Total biomass production on agricultural land | t dry matter | |

| | | |
|--|---------------------------------|---|
| [8] Yield potential | 1: very low - 5: very high |  |
| [4] Annual growth rates of woody species representative for a given land use type | t dry matter * ha ⁻¹ |  |
| [12] Share of arable land use within each NUTS2 region | % |  |
| [9] Number of areas and total area covered by firewood species | #, ha |  |
| [10] Biomass stock in the landscape (crops and trees) at any one time | t dry matter * ha ⁻¹ |  |
| [13] Energy output from agricultural biomass | MJ * ha ⁻¹ |  |
| [7] Energy (biomass): values are assigned to land cover classes. The matrix defined by Burkhard et al., 2012 (DOI:10.1016/j.ecolind.2011.06.019) was adapted and used in this study. | Index 0 - 5 |  |
| [11] Percentage of the products of a land use class that is used for fuel | % |  |
| [11] Rating of current service provision per land use class by expert-stakeholders | 0 - 10 |  |
| [11] Rating of increases/decreases of service provision in scenarios, relative to the status quo | % |  |
| [9] Number of households using biogas plants | # |  |
| [21] Biomass: Energy output from agricultural biomass | MJ * ha ⁻¹ |  |

Table 3: National Scale

| Indicator | Unit | Indicator values from |
|--|--|---|
| [19] Yields of energy crops | t * ha ⁻¹ , t dry matter * ha ⁻¹ , MJ * ha ⁻¹ |  |
| [18] Total biomass production on agricultural land | t dry matter |  |

| | | |
|--|--|------|
| [19] Yields of grassland for energy production | t * ha ⁻¹ , t dry matter * ha ⁻¹ , MJ * ha ⁻¹ | 🚫 |
| [19] Production of biofuel, biodiesel, bioethanol | ktoe | 🚫 |
| [12] Share of arable land use within each NUTS2 region | % | 💻 |
| [19] Energy crop area | ha | 🚫 |
| [19] Grassland for energy area | ha | 🚫 |
| [17] Summed gross margin of production (area of crop multiplied by the gross margin per unit area) | \$ | 📊, 💻 |
| [16] Expert assessment for each land use class based on the indicators: yield/hectare; light, water, nutrient, warmth availability; disturbances, climate change [units not given] | very negative (-3) to very positive (+3) | 👤 |
| [15] Historical analysis: Production of "ecosystem service products" in a region: firewood-hedges, firewood-trees, fuel-peat | Not provided | 💻, 📖 |

Table 4: Multinational Scale

| Indicator | Unit | Indicator values from |
|--|-----------------------|-----------------------|
| [13] Biomass: Energy output from agricultural biomass | MJ * ha ⁻¹ | 💻 |
| [20] Crops: Values were assigned to Corine land cover classes, based on values published by Burkhard et al. (2009; DOI: 10.3097/LO.200915) and modified for the context of riparian zones. | Index 0 - 5 | 👤 |
| [20] Wood fuel: Values were assigned to Corine land cover classes, based on values published by Burkhard et al. (2009; DOI: 10.3097/LO.200915) and modified for the context of riparian zones. | Index 0 - 5 | 👤 |
| [12] Share of arable land use within each NUTS2 region | % | 💻 |

References

| No. | Citation |
|-----|---|
| 1* | Tang LL, Hayashi K, Kohyama K, Leon A (2018) Reconciling Life Cycle Environmental Impacts with Ecosystem Services: A Management Perspective on Agricultural Land Use. <i>Sustainability</i> 10(3): 630. DOI: 10.3390/su10030630 |
| 2 | Kearney SP, Fonte SJ, García E, Siles P, Chan KMA, Smukler SM (2019) Evaluating ecosystem service trade-offs and synergies from slash-and-mulch agroforestry systems in El Salvador. <i>Ecological Indicators</i> 105: 264-278. DOI: 10.1016/j.ecolind.2017.08.032 |
| 3 | Daryanto S, Fu BJ, Wang LX, Jacinthe PA, Zhao WW (2018) Quantitative synthesis on the ecosystem services of cover crops. <i>Earth-Science Reviews</i> 185: 357-373. DOI: 10.1016/j.earscirev.2018.06.013 |
| 4 | Felipe-Lucia MR, Comin FA (2015) Ecosystem services-biodiversity relationships depend on land use type in floodplain agroecosystems. <i>Land Use Policy</i> 46: 201-210. DOI: 10.1016/j.landusepol.2015.02.003 |
| 5* | Fürst C, Frank S, Witt A, Koschke L, Makeschin F (2013) Assessment of the effects of forest land use strategies on the provision of ecosystem services at regional scale. <i>Journal of Environmental Management</i> 127: 96-116. DOI: 10.1016/j.jenvman.2012.09.020 |
| 6 | Koschke L, Fürst C, Lorenz M, Witt A, Frank S, Makeschin F (2013) The integration of crop rotation and tillage practices in the assessment of ecosystem services provision at the regional scale. <i>Ecological Indicators</i> 32: 157-171. DOI: 10.1016/j.ecolind.2013.03.008 |
| 7* | Zhang ZM, Gao JF, Fan XY, Lan Y, Zhao MS (2017) Response of ecosystem services to socioeconomic development in the Yangtze River Basin, China. <i>Ecological Indicators</i> 72: 481-493. DOI: 10.1016/j.ecolind.2016.08.035 |
| 8 | Bastian O, Lupp G, Syrbe RU, Steinháußer R (2013) Ecosystem services and energy crops - Spatial differentiation of risks. <i>Ekologia Bratislava</i> 32(1): 13-29. DOI: 10.2478/eko-2013-0002 |
| 9 | Adhikari S, Baral H, Nitschke CR (2018) Identification, Prioritization and Mapping of Ecosystem Services in the Panchase Mountain Ecological Region of Western Nepal. <i>Forests</i> 9(9): 554. DOI: 10.3390/f9090554 |
| 10 | Kay S, Crous-Duran J, García de Jalón S, Graves A, Palma JHN, Roces-Díaz JV, Szerencsits E, Weibel R, Herzog F (2018) Landscape-scale modelling of agroforestry ecosystems services in Swiss orchards: a methodological approach. <i>Landscape Ecology</i> 33(9): 1633-1644. DOI: 10.1007/s10980-018-0691-3 |
| 11 | Koo H, Kleemann J, Fürst C (2018) Land use scenario modeling based on local knowledge for the provision of ecosystem services in northern Ghana. <i>Land</i> 7(2): 59. DOI: 10.3390/land7020059 |
| 12 | Schulp CJE, Van Teeffelen AJA, Tucker G, Verburg PH (2016) A quantitative assessment of policy options for no net loss of biodiversity and ecosystem services in the European Union. <i>Land Use Policy</i> 57: 151-163. DOI: 10.1016/j.landusepol.2016.05.018 |
| 13 | Mouchet MA, Paracchini ML, Schulp CJE, Sturck J, Verkerk PJ, Verburg PH, Lavorel S (2017) Bundles of ecosystem (dis)services and multifunctionality across European landscapes. <i>Ecological Indicators</i> 73: 23-28. DOI: 10.1016/j.ecolind.2016.00.026 |
| 14* | Feld CK, Sousa JP, da Silva PM, Dawson TP (2010) Indicators for biodiversity and ecosystem services: towards an improved framework for ecosystems assessment. <i>Biodiversity and Conservation</i> 19(10): 2895-2919. DOI: 10.1007/s10531-010-9875-0 |
| 15 | Dittrich A, von Wehrden H, Abson DJ, Bartkowski B, Cord AF, Fust P, Hoyer C, Kambach S, Meyer MA, Radzevičiūtė R, Nieto-Romero M, Seppelt R, Beckmann M (2017) Mapping and |

* The impact area discussed on this factsheet is not a focus of the cited paper

* The ecosystem service discussed on this factsheet is not a focus of the cited paper

| No. | Citation |
|-----|---|
| | analysing historical indicators of ecosystem services in Germany. <i>Ecological Indicators</i> 75: 101-110. DOI: 10.1016/j.ecolind.2016.12.010 |
| 16 | Helfenstein J, Kienast F (2014) Ecosystem service state and trends at the regional to national level: A rapid assessment. <i>Ecological Indicators</i> 36: 11-18. DOI: 10.1016/j.ecolind.2013.06.031 |
| 17 | Holland RA, Eigenbrod F, Armsworth PR, Anderson BJ, Thomas CD, Heinemeyer A, Gillings S, Roy DB, Gaston KJ (2011) Spatial covariation between freshwater and terrestrial ecosystem services. <i>Ecological Applications</i> 21(6): 2034-2048. DOI: 10.1890/09-2195.1 |
| 18 | Kirchner M, Schmidt J, Kindermann G, Kulmer V, Mitter H, Prettenthaler F, Rudisser J, Schauppenlehner T, Schonhart M, Strauss F, Tappeiner U, Tasser E, Schmid E (2015) Ecosystem services and economic development in Austrian agricultural landscapes - The impact of policy and climate change scenarios on trade-offs and synergies. <i>Ecological Economics</i> 109: 161-174. DOI: 10.1016/j.ecolecon.2014.11.005 |
| 19 | Maes J, Liquete C, Teller A, Erhard M, Paracchini ML, Barredo JI, Grizzetti B, Cardoso A, Somma F, Petersen JE, Meiner A, Gelabert ER, Zal N, Kristensen P, Bastrup-Birk A, Biala K, Piroddi C, Ego B, Degeorges P, Fiorina C, Santos-Martín F, Naruševičius V, Verboven J, Pereira HM, Bengtsson J, Gocheva K, Marta-Pedroso C, Snäll T, Estreguil C, San-Miguel-Ayanz J, Pérez-Soba M, Grêt-Regamey A, Lillebø AI, Malak DA, Condé S, Moen J, Czucz B, Drakou EG, Zulian G, Lavalle C (2016) An indicator framework for assessing ecosystem services in support of the EU Biodiversity Strategy to 2020. <i>Ecosystem Services</i> 17: 14-23. DOI: 10.1016/j.ecoser.2015.10.023 |
| 20 | Clerici N, Paracchini ML, Maes J (2014) Land-cover change dynamics and insights into ecosystem services in European stream riparian zones. <i>Ecohydrology and Hydrobiology</i> 14(2): 107-120. DOI: 10.1016/j.ecohyd.2014.01.002 |